

NOTES:
 1. COOP CAN BE RAISED TO 4'-0" WITH A 6" BLOCK
 2. 1"X6" T&G BOARDS CAN BE REPLACED WITH 3/4" EXTERIOR GRADE PLYWOOD

NOTE:
 COOP CAN BE RAISED TO 3'-0" WITH A 6" BLOCK

COOP


COOP

COOPERATIVE EXTENSION WORK IN
 AGRICULTURE AND HOME ECONOMICS
 STATE OF TENNESSEE
 UNIVERSITY OF TENNESSEE
 AND
 UNITED STATES DEPARTMENT OF AGRICULTURE COOPERATING


HORSE EQUIPMENT

V.A. '67 EX. 6014 SHEET 1 OF 4


V.P.I. VA. PLAN D-1.40




DETAIL A



WHITE RAIL JUMP



UNIVERSITY OF TENNESSEE
 LIBRARY
 100 EAST 5TH AVENUE
 KNOXVILLE, TENN. 37996



FRONT

10'-0"

4 1/8"

7"

1"x6"

NOTES:

1. GATE SIZE ADJUSTED FOR USE WITH WHITE RAIL JUMP POST.



FRONT

10'-0"


4 1/8"

7"

1"x4"

NOTES:

1. GATE SIZE ADJUSTED FOR USE WITH WHITE RAIL JUMP POST.



PLANK

3'-6"


1/2"

6"

4 1/8"

NOTES:

1. GATE SIZE ADJUSTED FOR USE WITH WHITE RAIL JUMP POST.



BRUSH JUMP

5'-0"

2'-0"

2"x6"

6"

1"x6"

NOTES:

1. 2' STAND MAKES A 2'-6" BRUSH JUMP WHEN THE REQUIRED 6" OF BRUSH IS ADDED

2. JUMP MAY BE RAISED TO 3'-0" BY SETTING ON 6" BLOCKS

3. A 3'-6" JUMP CAN BE MADE BY USING 3'-0" UPRIGHTS, AND 4, 1"x6" BOARDS ON EACH SIDE SPACED 10" O.C.


1. GATE SIZE ADJUSTED FOR USE WITH WHITE RAIL JUMP POST

2. FOR FINISHED LUMBER A 1"x4" WILL BE 3 5/8" WIDE. A 1/2" STRIP WILL BE NECESSARY TO ACHIEVE THE FULL 4 1/8" WIDTH.

1. 2' STAND MAKES A 2'-6" BRUSH JUMP WHEN THE REQUIRED 6" OF BRUSH IS ADDED


2. JUMP MAY BE RAISED TO 3'-0" BY SETTING ON 6" BLOCKS

3. A 3'-6" JUMP CAN BE MADE BY USING 3'-0" UPRIGHTS, AND 4, 1"x6" BOARDS ON EACH SIDE SPACED 10" O.C.




FRONT

ALTERNATE SIDE




SIDE




NOTE:
1. SEVEN PICKETS ON EACH
END & EIGHT PICKETS IN
THE CENTER HINGED AS
SEPARATE UNITS

PICKET JUMP



NOTE:
1. BOTTOM TWO RAILS BOLTED
TO POST TO STABILIZE
JUMP



NATURAL RAIL (HUNTER'S) JUMP