

1Z0-123

TEST KING



LEADING THE WAY IN IT
TESTING AND CERTIFICATION TOOLS!

BUILD REPORTS

Version 1

Leading the way in IT testing and certification tools, www.testking.com

Important Note
Please Read Carefully

This product will provide you questions and answers along with detailed explanations carefully compiled and written by our experts. Try to understand the concepts behind the questions instead of just cramming the questions. Go through the entire document at least twice so that you make sure that you are not missing anything.

We are constantly adding and updating our products with new questions and making the previous versions better so email us once before your exam and we will send you the latest version of the product.

Each pdf file contains a unique serial number associated with your particular name and contact information for security purposes. So if we find out that particular pdf file being distributed by you. Testking will reserve the right to take legal action against you according to the International Copyright Law. So don't distribute this PDF file.

QUESTION NO: 1

What is the state of a library safe to the file system with a .PLL extension?

- A. It is only the run time library.
- B. It is only the library definition.
- C. It is both the run time library and the library definition.
- D. It is a text file.

Answer: C

QUESTION NO: 2

When would you store a procedure on the server side?

- A. When you need to reference the database trigger.
- B. When you need to reduce calls to the database.
- C. When the application has a PL/SQL library.
- D. When the application has an object library.

Answer: A

QUESTION NO: 3

The human resources department requested an employee report to highlight those employees who are due for a 30 day, 6 month and 1 year as evaluation. The hire_date field should display blue text for 30 days employees, red text for 6 month employees and green text for 1 year employees. You created a format trigger on the hire_date field to handle this task. What will happen if a format trigger returns a false value?

- A. The report execution will be halted.
- B. The hire_date field will not be displayed.
- C. The records will not be displayed.
- D. Nothing will happen.

Answer: B

QUESTION NO: 4

Which two triggers fire before data is retrieved by a query? (Choose two)

- A. Before parameter form.
- B. After parameter form.
- C. After report.
- D. Before report.
- E. Between pages.

Answer: A, B

QUESTION NO: 5

The employee report contains generic PL/SQL procedures to format the layout. These PL/SQL procedures can be reused in future reports. Which developer/2000 common interface component could use to create a library to store the PL/SQL program units?

- A. Object navigator.
- B. Layout model.
- C. Property Palette.
- D. PL/SQL development environment.
- E. Oracle toolkit.

Answer: D

QUESTION NO: 6

The IT department created a Human Resources application using many forms, report, charts and graphics. Which developer/2000 component could you use to package the application for installation on your network?

- A. Form builder.
- B. Report Builder.
- C. Graphics Builder.
- D. Project Builder.
- E. Query Builder.
- F. Schema Builder.

Answer: D

QUESTION NO: 7

You developed a report for the sales department. Users are currently looking at prototype and expected to send requests for changes next week. Since you are going to a training class next week and don't want to delay the report production. You arrange for another developer to make any necessary changes to the report. Which windows could your fellow developer document general changes or provide a high level over the changes?

- A. Object navigator.
- B. Report property palette.
- C. Layout Model.
- D. Tools Options.

Answer: B

QUESTION NO: 8

Currently you click the report builder icon to invoke reports. After report is launched you open the report file and connect to the database. What could you do to invoke reports? Open your .rds files saved to your operating system and connect to your database?

- A. Alter the R30DES file to include the filename and user id and password.
- B. Alter the command line on the property sheet for the report builder icon to include the filename and your oracle user id and password.
- C. Invoke the report builder executable by entering the following at the operating system prompt
R30RUN [username/password].
- D. You cannot connect to the database while report builder is being launched.

Answer: D

QUESTION NO: 9

Using the reports server how would you force the orders report in the order application to run every 6 hours?

- A. Schedule the query execution in the queue manager.

- B. You must schedule the query execution using the R30RQN command line with schedule parameter.
- C. Create a trigger in the application to execute the report every six hours.
- D. You cannot schedule a report's execution.

Answer: A

QUESTION NO: 10

When would you format a report on the client rather than the server?

- A. When you are running a very large master detail report and want to minimize network traffic.
- B. When you are one of the several users running the same medium sized mailing label report.
- C. Never format a report on the client because the reduction in network traffic does not wait out the amount of time required to process the report.
- D. When you are running a small tabular report and need to limit server activity.

Answer: D

QUESTION NO: 11

You are developing a report for character mode environment. You want the users to select the output device at runtime. If the user chooses to store the output as ASCII in a file which system parameter will specify the filename?

- A. DESTYPE
- B. DESNAME
- C. DESFORMAT

Answer: B

QUESTION NO: 12

The operations department requested a Support users report to run in character mode. You develop the report. Where would you define the character mode settings?

- A. In the tools option.
- B. In the report property palette.

- C. In the live previewer.
- D. In the data model.

Answer: B

QUESTION NO: 13

If you make modifications to the default values of the properties. How can you return the modified values to the default values if you change your mind?

- A. Use the revert button in the property palette.
- B. Use the cancel button the property report wizard.
- C. Use the reinherit in the property palette.
- D. Changes are automatically applied and cannot be reverted to default values.

Answer: C

QUESTION NO: 14

You modify the sales data template to format commission column values in the \$9999.99 format for matrix report. TO override the default format you change the attributes in the override section. How would you return the format of the commission values to the default format?

- A. Use the read help button in the property palette.
- B. Use the read help button in the layout model.
- C. Default the layout to remove the override values.
- D. Change the format manually in the layout model.
- E. Re enter the report wizard and re select the sales data template.

Answer: C

QUESTION NO: 15

You need to add an image to cover page of the fields template. The image is stored on the network drive as the .bmp file and changes regularly. How would you modify the template to display the bitmap image?

- A. In the layout model choose edit -<import- <image on specify the file name.

- B. In the layout model click the header button and choose insert-<file
- C. In the layout model click the header button and choose link file tool.
- D. In the object navigator choose the header node and create a field.

Answer: C

QUESTION NO: 16

You create a custom template to use when creating report for the sales department. How would you register the template so that it appears in the wizard predefined list?

- A. Place the .tdf file in the template directory and reference it in the cagprefs.ora file.
- B. Place the .tdf file in the ORACLE_HOME directory and reference it in the preference dialog box.
- C. Place the .rdf file in the template directory and reference it in the cagprefs.ora file.
- D. Place the .rdf file in the ORACLE_HOME directory and reference it in the preference dialog box.
- E. Place the .tdf file in the template directory and reference it in the preferences dialog box.

Answer: A

QUESTION NO: 17

The accounts receivable department requests an account status report show customer data. The users like the report and now want to be able to restrict the data retrieved to one single customer by entering the customer name and running the report. How would you create the object to hold the customer name?

- A. In the object navigator click the user parameters node and then click the create tool.
- B. In the object navigator click the parameter for node and then click the create tool.
- C. In the object navigator click the parameter form fields node and then click the create tool.
- D. In the data model create a place folder column outside the data model hierarchy to hold the value.

Answer: A

QUESTION NO: 18

The accounting department requested a sales report to run separately for each payment method. You created one report and the lists of most common values to be selected from the runtime. User also need to be able to run the same report and enter the promotional payment type. The payment type changes

frequently and would be impossible to add to the list of values to select from runtime. Which change to the parameter property sheet should you make to allow to select from a list of values or enter other values?

- A. Click the select statement radio button.
- B. Uncheck the restricted list check box.
- C. Click the static values radio button.
- D. No changes need to be made because the default allows both types of values.

Answer: B

QUESTION NO: 19

You created a payroll report for the human resources application. The report uses a parameter to allow users to enter the BD_ID value at run time. Since the report is usually run for BD_ID 100 users are requesting that 100 be the initial value for the field. What is the best way to alter the parameter from the provide parameter formed to provide a default value for the field?

- A. Change the initial value property of the BD_ID parameter.
- B. Change the initial value property of the BD_ID field.
- C. Rebuild the parameter form using the parameter form builder.
- D. Alter the initial value of the DEPT_ID field using the parameter form builder.

Answer: A

QUESTION NO: 20

You created a report and needed to store it in a file in your own operating system alert. A PL/SQL code will be shared by other reports. Which type would you use to share the code?

- A. .REP
- B. .RDF
- C. .REX
- D. .PLL

Answer: D

QUESTION NO: 21

You are creating a report in report builder. You are leaving for a day and need to save your report file to the operating system. Which file types should you use to able to continue working with the report tomorrow?

- A. .REP
- B. .REX
- C. .RDF

Answer: C

QUESTION NO: 22

You are creating a matrix report to display the number of books by each publisher in each school. Using querying builder you create a join query to retrieve the book_name, publisher_id and school_id columns from the book table, publisher_name from the publisher table and school_name from the school table. Using the report wizard you select publisher_name as the row values, school_name as the column values and count (book_name) as the cell values. You need to display a total for each publisher. Which product order value would you use?

- A. Rows.
- B. Columns.
- C. Cells.
- D. Trans product.

Answer: A

QUESTION NO: 23

You are creating a matrix report to display sales person records across the page. Customer record down the page and out standing balance calculations as the cell values. When the report is created how many groups will be displayed in the data model?

- A. 1
- B. 2
- C. 3
- D. 4
- E. 5

Answer: D

QUESTION NO: 24

You are creating a matrix with group report to display the number of items shared to each customer by each sales person within each department. Using query builder you select the cust_name and salesperson_id column from the customer table. The sales_name and the dept_columns from the sales person table; the item table_id and cust_id columns from the sales table; dept_name column from the departmentable. Using the report wizard you select the sales_name as the row values, cust_name as the column values , count (item_id) as the cell values and dept_name as the break id. You need to display totals of each sales person. Which product order value would you use?

- A. G_DEPARTMENT.
- B. G_SALES.
- C. G_DEPARTMENT, G_SALES.
- D. G_SALES, G_DEPARTMENT.
- E. G_SALES, G_DEPARTMENT, G_CUSTOMER.

Answer: B

QUESTION NO: 25

You are creating a matrix report. Using query builder you select the beverage_name and location_id columns from the beverage tables; the volume and the beverage_id columns from the quantitable; and the location_name column from the location table. Using the report wizard you select beverage_name as the row values, location_name as the column values and sum (volume) as the cell values. If there is no value for the sum a zero should be displayed. What is the easiest way to accomplish this task?

- A. Alter the value if null value on the sum (volume) property palette.
- B. Alter the value if null value on the volume property palette.
- C. Alter the value if the null value on the beverage_name and the location_name property palettes.
- D. Create a format trigger for the sum (volume) field to display a zero if the field is null.
- E. Create a boiler plate text object in the layout model containing a zero and place it between the cell repeating frame and the matrix object.

Answer: A

QUESTION NO: 26

You need to add an existing graph to your report to represent the percentage of the total summary column. Which tools would you use to create this layout object?

- A. Boiler plate.
- B. Frame.
- C. Field.
- D. Chart.

Answer: D

QUESTION NO: 27

The sales report uses an embedded chart in the report definition. You need to pass values to the chart to modify the values displayed based on the value entered at run time. Which chart property would you modify to achieve these results?

- A. Parameters and columns.
- B. Value.
- C. Category.
- D. File name.
- E. Data group.

Answer: A

QUESTION NO: 28

You are creating a sales report to display each sales person's sale for the day. You need to mould the text if the sales person's total sales is greater than 30,000. Which SRW package procedure or function could you use to permissionly modify the weight of the text?

- A. SRW.BREAK
- B. SRW.ATTAR_SET
- C. SRW.SET_MAXROW
- D. SRW.REFERENCE.
- E. SRW.SET_APTR.
- F. SRW.SET_FIELD.

Answer: E

QUESTION NO: 29

You are creating a drill down report to display only the project data and have the user click an Icon to display the detailed cost data. Which RS packet build in component will call the detailed cost report?

- A. SRW.GETERR_RUN
- B. SRW.BREAK
- C. SRW.MESSGAE
- D. SRW.RUN_REPORT
- E. SRW.DO_SQL.
- F. SRW.REFERNCE.

Answer: D

QUESTION NO: 30

How are messages displayed when you use the SRW.MESSAGE packaged procedure?

- A. Dialogue box that implicitly terminates report execution.
- B. Message line that implicitly terminates reports executions.
- C. Message line that suppresses the default oracle message.
- D. Dialogue box that does not implicitly terminate report execution.
- E. Dialogue box that suppress the default oracle message.

Answer: D

QUESTION NO: 31

The engineering department requested a report to show the percentage of work completed for its contracts. Their department logo should appear on each page of the report. Where could you place the logo so that it would be unaffected by any changes you might have to make to the data?

- A. Header.
- B. Body.

- C. Margin.
- D. Taylor.

Answer: C

QUESTION NO: 32

You create a group above report, run the report and notice that the detailed repeating frame is too small. Which setting would you use to ensure that the master repeating frame expands when you enlarge the detailed repeating frame?

- A. Flex mode enabled.
- B. Flex mode disabled.
- C. Confined mode enabled.
- D. Confined mode disabled.

Answer: A

A. QUESTION NO: 33

You are creating an inventory report for the order entry department. The report needs to display data from the inventory, sales, and order tables.

In which report builder Window would you define the data pulled from these tables?

- A. Object navigator.
- B. Runtime parameter form.
- C. Layout model.
- D. Query builder.
- E. Live previewer.

Answer: D

QUESTION NO: 34

You want to create a report using a query builder within report builder. Which three object types can you select within query builder to create this report? (Choose three)

- A. Record group
- B. View
- C. Synonym
- D. Program unit
- E. Table
- F. List of values

Answer: B, C, E

QUESTION NO: 35

Which report style would you use to produce a notice to be mailed to all customers. Who are 30 days past due on their accounts?

- A. Group left.
- B. Form-like.
- C. Matrix w/Group.
- D. Group above.
- E. Mailing label.
- F. Form letter.

Answer: F

QUESTION NO: 36

A few months ago, you created a sales transaction report using this query:

```
SELECT s.sales_id, s.transaction number, s.amount, d.dept_name  
FROM sales.s, employee.e, department.d  
WHERE sales_date = TRUNC (sysdate) AND s.sales_id = e.employee_id  
AND e.dept_id = d.id_number
```

Next, you created a parent group to the default group with the DEPT_NAME column. Today, you need to modify the report to display the total of daily transactions for each department.

What is the best way to accomplish this task?

- A. In the data model, add a summary column to the default group and reset the value by the parent group.
- B. In the data model, add a formula column to the default group and reset the value by the parent group.
- C. In the data model, add a summary column to the parent group and reset the value by the default group.

- D. In the data model, add a formula column to the parent group and reset the value by the default group.
- E. In the data model, add a summary column to the parent group and reset the value by the parent group.

Answer: E

QUESTION NO: 37

You create a button in the layout of the sales report to allow the user to play a video clip demonstrating each of the products listed. The names of the sources files for the video clips are stored in a character database column. Using the report wizard, you selected the database column to display. How would you specify the column as a file column so that the video clips will play?

- A. Alter the datatype value in the property palette of the column.
- B. Open the column property palette, set the read from file value to 'Yes' and select the appropriate file type.
- C. Open the column property palette and alter the read from file value to specify the source path.
- D. Use the OLE2 button to select the object type.

Answer: B

QUESTION NO: 38

A few months ago, you created a commission report for the payroll department using this query:

```
SELECT employee_id, first_name, salary, commission_pct  
FROM employee
```

```
WHERE commission_pct IS NOT NULL
```

Today, you need to modify the report to display a commission earnings for each employee that earns commission. This value is calculated by multiplying SALARY*COMMISSION_PCT.

What is the most efficient way to accomplish this task from a performance point of view?

- A. Create a formula column in the default group.
- B. Create a summary column in the default group.
- C. Create a placeholder column in the default group.
- D. Alter the query to configure the value.

Answer: D

QUESTION NO: 39

You are creating a tabular report for the Accounts payable department to display each vendor's name and phone number. To begin, you created this query:

```
SELECT name, phone_number  
FROM vendors
```

You default the layout and chose a tabular report style. You added a boilerplate containing your company logo to the body of the report below the group frame. Next you anchor the logo to the bottom of the group frame.

How many times will the logo appear in the report?

- A. None.
- B. Only once.
- C. Only once for each frame.
- D. Only once for each field.

Answer: B

QUESTION NO: 40

Which single layout object would you use to control the positioning of several objects simultaneously?

- A. Anchor
- B. Field
- C. Boilerplate
- D. Frame

Answer: D

QUESTION NO: 41

The shipping department asked you to modify an existing report that has a default setting for the page width and height. The report needs to print on a shipping label that is 5 x 8 inches. You opened the report the SHD 1130.

In the object navigator, which node should you double-click to make this change?

- A. Layout model
- B. Data model

- C. SHD 1130
- D. Parameter form

Answer: C

QUESTION NO: 42

You are creating an inventory report for the purchasing department to display inventory items sorted by MANUFACTURER_ID. In the data model, you created this query:

```
SELECT i.id_number, i.description, i.manufacturer_id, m.manufacturer_name  
FROM inventory.i, manufacturer.m
```

- B. WHERE i.manufacturer_id = mid_number

Next, you clicked and dragged MANUFACTURER_ID and MANUFACTURER_NAME out of and above the default group. To increase performance, which break order should you disable?

- A. Parent group
- B. Child group
- C. MANUFACTURER_NAME
- D. MANUFACTURER_ID
- E. ID_NUMBER

Answer: C

QUESTION NO: 43

You are building a report for the accounts payable department that pulls hundreds of records and performs several different calculations with the queries. You are making changes to the layout and each time you run the report it takes several minutes to execute and print. You are only viewing the first 15 records to inspect the layout.

What is the best way to decrease the processing time while you are developing the report?

- A. Remove the calculations from the query and replace them after you have finished the layout.
- B. Send the report to the screen rather than to a printer.
- C. Remove the calculations from the query and create formula columns in the data model.
- D. Add a filter to your groups.

Answer: D

QUESTION NO: 44

In which situation might it be more efficient too use a multi-query data model?

- A. Your company has a client/server environment with a high amount of network traffic.
- B. You are developing a master/detail report that will retrieve more master records than detail records.
- C. You are developing a tabular report that contains a very complex inner join.
- D. You are developing a master/detail report that will retrieve few master records with many detail records.
- E. You are developing a tabular report with a single outer join.

Answer: D

QUESTION NO: 45

In the data model, you created this query:

```
SELECT employee_id, last_name, first_name, dept_id  
FROM employee
```

Next, you clicked and dragged DEPT_ID out of and above the default group. What is the best way to override the default data ordering of the parent group?

- A. Modify the query to include an ORDER BY clause.
- B. In the data model, double-click the DEPT_ID column and alter the break order.
- C. In the layout model, double-click the dept_id field and alter the print direction.
- D. Default the layout, choose a master/detail report style, and select DEPT_ID as the break group.

Answer: B

QUESTION NO: 46

You are testing the drill down report. How would you run the report using Developer/2000?

- A. Choose the reports runtime item, connect to the database, choose file-> run, select the report, and choose OK.
- B. Choose report builder, Choose file-> run, select the report, and choose OK.
- C. Choose report builder, select the report in the object navigator and click the run icon.

- D. Invoke the R30EXEC command from the command line.
- E. Choose the file-> run, connect to the database, select the report, and choose OK.

Answer: A

QUESTION NO: 47

The accounts receivable department has requested a customer balance report to display each customer's account number and name, followed by several records containing outstanding invoices payment due date and payment terms and several records containing high balances and past due amounts for 30, 60, and 90 days. The structure should be repeated for each customer who has an outstanding balance. The customer name should not appear for each occurrence of invoice or account balance information. Which report style would be most appropriate for this report?

- A. Tabular
- B. Matrix
- C. Form
- D. Group above

Answer: D

QUESTION NO: 48

How could you add a page number to each page in a report?

- A. Use the insert page number button in the line previewer.
- B. Create a formula column in the data model and reset the value by page.
- C. Create a summary column in the data model and reset the value by page.
- D. Create a placeholder column in the data model and include a function to return a count value.
- E. Edit the system parameters to include a page count and exclude the header and transfer pages.
- F. Modify the page number value on the report property palette.

Answer: A

QUESTION NO: 49

You created a tabular report for the human resources department. After viewing the layout, users have requested that you remove the salary column since it is only used to calculate a departmental summary. Using the live previewer, how would you clear this column?

- A. Use the report wizard in the reentrant mode to disable the column.
- B. Use the report wizard to make the change.
- C. Select the column, choose Edit->Select parent frame from the menu, and press <DELETE>
- D. Select the salary column and press <DELETE>

Answer: D

QUESTION NO: 50

You are viewing the employee report in the live previewer. The report is displaying the salary field with no decimal places and you need it to display two decimal places. What is the easiest way to make this change?

- A. Open the report wizard in reentrant mode, add the decimal places, and rerun the report.
- B. Select the salary field in the live previewer, open the property sheet, and add the decimal places.
- C. Select the salary field in the live previewer and add the decimal places using the stylebar.
- D. Open the layout model, select the salary field, and add the decimal places using the stylebar.

Answer: C

QUESTION NO: 51

You create the sales report and run it in the live previewer. After which change would the live previewer requery the data?

- A. Removing column from the available list in the report wizard.
- B. Removing the column from the displayed list in the report wizard.
- C. Changing the display width of a column in the report wizard.
- D. Adding a column to both the available list and displayed list in the report wizard.
- E. Removing a column in the live previewer.

Answer: D

QUESTION NO: 52

You are creating a tabular report for the sales department with a department break group. You need to ensure that if at least six sales records will not fit at the bottom of a page, the group will start on the next page.

Which printing frame property would you alter to achieve these results?

- A. Source
- B. Print direction
- C. Maximum records per page
- D. Minimum Widow records
- E. Column mode

Answer: D

QUESTION NO: 53

You created a tabular report for the student housing authority that lists each student's name, student identification number, and dorm room number. The default setting prints each record below the previous record.

Which two print settings could you use to print the student records to the right of the previous record until an entire record cannot between the previous record and the right margin? (Choose two)

- A. Across
- B. Across/down
- C. Down
- D. Down/across
- E. Matrix

Answer: A, B

QUESTION NO: 54

The IT department requested a report to list each server name and the name of each department that utilizes resources from each server. You created a tabular layout that breaks on the server name. You ran the report and noticed that the department field is too large for most of the department names.

Which field size setting would you use to allow the field to be smaller but not larger than the field layout size?

- A. Fixed
- B. Expand
- C. Contract
- D. Variable

Answer: C

QUESTION NO: 55

When is an implicit anchor created?

- A. When an object is enclosed by another object.
- B. When a page break after pagination property is enabled.
- C. When a link is created between two objects.
- D. When a keep with anchoring object pagination property is enabled.

Answer: A

QUESTION NO: 56

A human resources department requested a report to show the total number of employees working in each department. To begin you created this query:

SELECT dept_ID, count (employee_ID)

FROM employee

GROUP BY dept_ID

You defaulted the layout and choose a tabular report style. In the layout model which object will enclose all the other layout objects?

- A. Field.
- B. Master group frames.
- C. Repeating frame.
- D. Boiler plate.

Answer: B

QUESTION NO: 57

You are developing a report to allow customers in a department store to view product information. You added a button to the layout to allow customers to view the picture of the product. Which button property would you alter to specify the source of the .BMP file?

- A. Type.
- B. Multimedia file.
- C. Multi media file type.
- D. Label type.

Answer: B

QUESTION NO: 58

You are creating a report containing two headers and three tailor pages. You set the logical page size to 2 into 1. The body of the report is four logical pages. How many physical pages is the entire report?

- A. 36
- B. 4
- C. 9
- D. 13

Answer: D

QUESTION NO: 59

Which setting change would you allow to make a child object to be moved out of a parent object?

- A. Flex mode on.
- B. Flex mode off.
- C. Confined mode on.
- D. Confined mode off.

Answer: D

QUESTION NO: 60

You need to add a page number to the bottom margin of your report pages. How would you navigate to the margin area?

- A. Use menu options tool->margin.
- B. Click on the margin button.
- C. In the layout model press <ALT>+<M>
- D. This task can only be accomplished programmatically.

Answer: B

QUESTION NO: 61

Human resources department requested a report to display the total number of employees working in each department. To begin you created this query:

```
SELECT dept_ID, count (employee_id)  
FROM employee
```

- C. GROUP BY dept_ID

You defaulted the layout and choose a tabular report style. In the layout model which property sheet would you alter to restrict the number of records appearing on each page?

- A. Frame.
- B. Report.
- C. Field.
- D. Repeating frame.

Answer: D

QUESTION NO: 62

You are developing an inventory report to list the item number, description price and picture of all inventory items. The layout of each item is a repeating frame that contains three fixed fields and a image. When possible you want all objects in the repeating frame to appear on the same logical page without creating blank pages between instances. Which pagination property would you alter to achieve these results?

- A. Page break before.
- B. Page break after.
- C. Page protect.
- D. Keep with anchoring object.

Answer: C

QUESTION NO: 63

Which tool in the layout model could you use to create an external boiler plate object?

- A. Field.
- B. Frame.
- C. Button.
- D. Rectangle.
- E. Link file.

Answer: E

QUESTION NO: 64

The transportation department requested a shipping cost report to list the resources used by each department. A separate page should be produced for each department. Which property would you modify to achieve these results?

- A. Minimum widow records.
- B. Column mode.
- C. Spacing.
- D. Print direction.
- E. Source F maximum records per page.
- F. Maximum records per page.

Answer: E

QUESTION NO: 65

You are developing a bonus report for the payroll application to calculate and display the bonus issue to each envelope. Employees with a salary of less than 50000\$ earn a bonus of 15% and the employees who earn 50000\$ or more earn out 10% bonus. Which type of trigger would you use to conditionally assign a bonus percentage?

- A. Report level trigger.

- B. Group filter.
- C. Format trigger.
- D. None of the above.

Answer: D

QUESTION NO: 66

The CALC function is used several times within the sales report. To simplify maintenance you want to store the function in one place and call it from within your PL/SQL trigger code. Which node would you use in object navigator to create a report level programme unit to store the function?

- A. Programme units.
- B. PL/SQL libraries.
- C. Database object.
- D. Built in packages.

Answer: A

QUESTION NO: 67

You are developing a tax report for the payroll application. You created a before parameter form report trigger to create three temporary tables to store text that are need while the report is executed. Which report trigger would you use to delete these temporary tables?

- A. Before parameter form.
- B. After parameter form.
- C. Before report.
- D. After report.

Answer: D

QUESTION NO: 68

The human resources department requested an employee report to high light those employees who are due for 30 days 6 months and 1 year evaluation. The higher_date field should display blue text for 30 days employee, a red text for 6 month employees and a green text for one year employees. You created a

format trigger on the higher_date field to handle this task. What will happen if the format trigger returns a false value?

- A. The report execution will be halted.
- B. The higher_date field will not be displayed.
- C. The record will not be displayed.
- D. Nothing will happen.

Answer: B

QUESTION NO: 69

Which report style would you use to create a report listing each department and including a listing of employees beneath their respective department?

- A. Group left.
- B. Form like.
- C. Matrix W/group.
- D. Group above.
- E. Mailing label.
- F. Form letter.

Answer: D

QUESTION NO: 70

You created a tabular report for the sales department to display each customer and the sales person assign to the customer. The data is sorted by customer using the order by clause in his query. This is department manager asks you to alter the report so that data is sorted by sales person rather than by customer. What is the best way to make the needed change?

- A. Recreate the query and default the layout.
- B. Alter the query, default the layout and redo the boiler plates.
- C. Query and manually change the layout to save the boiler plate.
- D. Alter the query and make further no change.

Answer: D

QUESTION NO: 71

You are creating a tabular report to display each employee's name, department, number and hire date. You need to change the column date of the hire_date column to start date. In which window could you complete this task?

- A. Data model.
- B. Default layout window.
- C. Field property palette.
- D. Labels tab in the report wizard.
- E. Field's tab in the report wizard.

Answer: D

QUESTION NO: 72

The sales report displays each sales person's daily transaction. You need to add a total transaction value for each sales person. What is the best way to add the summary value to existing report?

- A. Reenter the report wizard and modify the query.
- B. Reenter the report wizard and add the summary to the totals tab.
- C. Reenter the report wizard and add the field to the data tab.
- D. Add the summary column to the layouts using the layout model.
- E. Recreate the report to add a summary value.

Answer: B

QUESTION NO: 73

You created a report form the human resources department based on all the columns in the EMP table. After viewing the report users requested that the emp_ID columns peers first in the output. How could you change the position of the column?

- A. After the query.
- B. Enter the report and change the column's position in the field tab.
- C. Alter the column's position in the object navigator.
- D. Enter the report wizard and change the column's position in the data tab.
- E. Alter the column's position within its group and change the layout.

Answer: B

QUESTION NO: 74

Your company has implemented the report's server three-tier architecture. From 4 to 5 P.M each day several departments begin running their daily reports. Which tier of this architecture will spawn extra run time engines to process the increased activity?

- A. Client.
- B. Application.
- C. Database server.
- D. These extra run time engines are not automatically created then must be initiated by the user executing the report.

Answer: B

QUESTION NO: 75

Using the reports server how would you force the orders report in the orders entry application to run every six hours?

- A. Schedule the report's execution in the queue manager.
- B. Schedule the reports execution using the R30RQM command line with scheduled parameter.
- C. Create a trigger in the application to execute the report every six hours.
- D. You cannot schedule a reports execution.

Answer: A

QUESTION NO: 76

The character mode sales report is stored on the network drive as a .REX. You need to make changes to the report layout. Using the report builder how would you change this file?

- A. Open the file using the menu option file->open make the changes and recompile the report.
- B. Convert the file into .REP file using the report compiler make the changes and convert the file back to the .REX file.

- C. Execute the R30CONV command to convert the file to a .RDF file make the changes and convert the file back to a .REX file.
- D. Choose file -> administration->compile. Convert the file to the .RDF file, make the changes and convert the file back to a .REX file.
- E. Execute the R30CONV command to convert the file to a .REP file, make the changes and convert the file back to a .REX file.

Answer: D

QUESTION NO: 77

You have forgotten the name of binary PL/SQL library saved to the operating system. This file contains the PL/SQL constricts you created for the inventory report. For which file extension should you reach?

- A. .SQL
- B. .PLL
- C. .PLD
- D. .PRT

Answer: B

QUESTION NO: 78

You created a department report and preview it in life preview. The font for the department name is too small and you want to enlarge it but do not want to change the font for any other fields. What is the easiest way to make this change?

- A. Select the text to be enlarged in the life previewer and make the size changed using the style bar.
- B. Select the text to be enlarged in the layout mode and make the change.
- C. Open the report wizard in the re-entrant mode and make the change.
- D. Make the copy of the report, open the copy, make the changes and then delete the original report.

Answer: A

QUESTION NO: 79

The order entry department requested a report to display the average time to enter an order fro each order entry clerk sorted by supervisor with a group average after viewing the report users requested to bold the value for each supervisors group average. Where would you make this change?

- A. In the template used.
- B. In the data model.
- C. In the life previewer.
- D. In the field property palette.

Answer: C

QUESTION NO: 80

You create a financial report to be represented to board of directors. The accounting manager has asked you to change the number format to show a thousand separator. What is the best method to make this change to the report quickly?

- A. Open the property palette and set the format mask for all the numeric items in the report.
- B. Select the data to be free formatted in the life previewer and click on the thousand separator icon on the style bar.
- C. Go to the layout model and change the field attributes for the data to be changed on the report.
- D. Rebuild the report using the report wizard setting this format on creation.

Answer: B

QUESTION NO: 81

You create a tabular employee report and are concerned about readability because the employee records very close together. What is the best way to increase the amount of white space between the records?

- A. In the layout model increase the size of the employee record fields.
- B. In the report wizard increase the display width values of the employee record fields.
- C. In the property palette increase the size of the repeating frame surrounding the employee records.
- D. In the life previewer, high light a field, click on the parent frame icon and make the frame bigger vertically.

Answer: D

QUESTION NO: 82

You created a tabular report for human resources department. After viewing layout users have requested that you change the label of the dept column to something more meaningful. How would you change the label in the live previewer?

- A. Use the report wizard to change the column label.
- B. Click and high light the column label and replace it with desired text.
- C. Click the column label and alter its property palette.
- D. Click the dept column and alter its property palette.

Answer: B

QUESTION NO: 83

You created an out standing accounts report for the accounts receivable department you saved the file to the database as a R10971. To adhere to you company's naming standard. Since the naming standard creates very simple report name your end user are often unsure that if they ran the right report. Which window could you use to overwrite the report title so that for the users it displays as out standing accounts?

- A. Tools (arrow sign) preference.
- B. Parameter form editor.
- C. Layout model.
- D. Report properties.

Answer: D

QUESTION NO: 84

The accounts receivable department requested an accounts status to allow users to enter either a customer name, customer number, customer phone number and then display the customer out standing balance. You want to restrict the data retrieved based on values entered by the users. Which where clause would you write in the query to select statement to accomplish this task?

- A. &p_where_clause
- B. :p_where_clause
- C. WHERE CUST_ID=P_CUST_ID or cust_name=:p_cust_name or cust_phone=:p_cust_phone

- D. Where cust_ID=&p_cust_ID cust_name=&p_cust_name or cust_phone=&p_cust_phone

Answer: A

QUESTION NO: 85

How would you default the layout of a parameter form?

- A. Use the default layout tool in the parameter form editor.
- B. Select menu item tool->parameter form builder.
- C. Open the parameter form editor and select menu items tool->default layout.
- D. You cannot default the layout of the parameters.

Answer: B

QUESTION NO: 86

How are messages displayed when you use the SRW.MESSAGE packaged procedure?

- A. Dialogue box that implicitly determines report execution.
- B. Message line that implicitly determines report execution.
- C. Message line that suppresses the default oracle message.
- D. Dialogue box that does not terminate report execution.
- E. Dialogue box that suppresses the default oracle message.

Answer: D

QUESTION NO: 87

Which are SRW package procedure or function could you use to create and then drop a temporary table in the sales report?

- A. SRW.BREAK
- B. SRW.SET_ATTR
- C. SRW.REFERENCE
- D. SRW.DO_SQL
- E. SRW.RUN_REPORT

F. SRW.SET_FIELD

Answer: D

QUESTION NO: 88

**You are developing an inventory report for the purchasing department. To begin you created this query:
SELECT ID_number, description, quantity, unit_price, quantity* unit_price
'amount'**

FROM inventory

You need a report level total for the amount column. What is the best way to accomplish this task?

- A. Alter the query to perform the calculation.
- B. Create a formula column outside the default group.
- C. Create a summary column outside the default group.
- D. Create a formula column in side the default group.
- E. Create a summary column in side the default group.
- F. Create a place holder column outside the default group.

Answer: C

QUESTION NO: 89

The sales report needs to display the sales person with the highest order total. Which build report builder component would you use to create a place holder column to display the value?

- A. Report wizard.
- B. Layout model.
- C. Data model.
- D. Life previewer.

Answer: C

QUESTION NO: 90

**A few months ago, you created a sales transaction report using this query:
SELECT sales_ID, transaction number, amount**

D. FROM sales

WHERE sales_date=trunc(sys date)

Today you need to modify the report to include each transactions % of total daily transactions. How can you accomplish this task?

- A. In the data model add a summary column to the group to give up % of a total of the amount column.
- B. In the data model add a place holder column to the group to give a % of total of the amount column.
- C. In the data model add a summary column outside the group to give a % of total of the amount column.
- D. In the data model add a place holder column outside the group to give a % of total of the amount column.
- E. In the layout model add a final in the field in the repeating group to calculate a % of the total of the amount column.

Answer: A

QUESTION NO: 91

The accounts receivable department requested a report with five columns of data several text fields and a graphic to be used as a customer invoice. After viewing the report users realize that one of the columns contains a redund data in the interest of performance. You want to remove the corresponding data base column from the report. How would this be accomplished without altering the text and graphics in the body of the layout?

- A. Remove the column from the select statement.
- B. Delete the field from the layout.
- C. Remove the column form the select statement and default the layout.
- D. Remove the column from the select statement and delete the field from the layout.

Answer: D

QUESTION NO: 92

You are creating a matrix report. Using query builder, you select the SALES_ID and DEPT_ID columns from the SALES table; The CUST_BALANCE column from the CUSTOMER table and the INVOICE_TOTAL column from the INVOICE table. Using the report wizard you select SALES_ID as the row values, DEPT_ID as the column values and SUM(CUST_BALANCE) as the cell values. You add a summary column for a SALES_ID row. If the summary column has a null value you need to display a zero. What is the easiest way to accomplish this task?

- A. Alter the value if null property on the summary column property palette.
- B. Alter the value if null property on the save_ID palette.
- C. Alter the initial value property on the sales ID property palette.
- D. Create a format trigger for a summary value field to display a zero if the field is null.
- E. Create a boiler plate text object in the layout model containing a zero and place it between the row repeating frame and the matrix object.

Answer: A

QUESTION NO: 93

You are creating a report wizard to create a matrix report. The query build, you select the patient_name column from the patient table; the doctor_name from the doctors table; and the doctor_ID, patient_ID and ID columns from the procedure table. In the report wizard you select patient_name as the row value, doctor_ID as the column values and the count as the cell values. You need to add a total for each doctors column. In the wizard report which tab will allow you to use to create the summary column?

- A. Rows.
- B. Totals.
- C. Columns.
- D. Cells.
- E. Data.

Answer: B

QUESTION NO: 94

Using the report wizard you create a tabular report to display all the columns in the EMP table. The records are ordered by the dept_name and job columns. You need to create a hierarchical report that breaks on the dept_name and job values. Using the data model how would you create this break structure?

- A. Specify the break order on the g_emp group Property palette.
- B. Specify a break order on the dept_name and job columns property palettes.
- C. Click and drag the dept_name and jobs column out and above of the g_emp group to create a new parent group.
- D. Change the position of the dept_name and the job columns within the g_emp group.

Answer: C

QUESTION NO: 95

In the data model you created two queries that produced two groups named employee and sales. The sales group is a child in the employee group. You establish a relationship between the two queries by creating a link. Which modifications would you make to the data link property sheet for this relationship?

- A. No modifications are needed because the default values represent the relationship.
- B. Modify the SQL clause to having and conditioned to like.
- C. Modify the SQL clause to where and condition to like.
- D. Modify the SQL clause to having and condition to =

Answer: A

QUESTION NO: 96

For an inventory report, you created a work_in_progress that contains two columns, ID_number and quantity. The parent group of the work_in_progress is in_inventory which contains one column, dept_no. You added a filter of first fifteen to total_inventory and a filter of last 20 for work_in_progress. Which records will the report return?

- A. First 15 dept_no values.
- B. Last 20 ID_no and quantity values with the first 15 dept_no values for each work_in_progress value.
- C. First 15 dept_no values with the last 20 ID_number and quantity values for each total_inventory value.
- D. First 15 dept_no values and the last 20 ID_no and quantity values.
- E. The last 20 ID_number and quantity values.

Answer: C

QUESTION NO: 97

In the data model you created this query:

```
SELECT ID_no, description, price, quantity, manufacturer_ID  
FROM inventory
```

Next you click and drag the manufacturer_ID column out of and above the default group. You needed to sort the child group by ID_number. How could you accomplish this task?

- A. Add an order by clause to the query.
- B. In the data model double click the ID_number column and alter the break order.
- C. In the layout model double click the ID_number field and alter the print direction.
- D. Default the layout, choose a master/detail report style and select ID_number as the break order.

Answer: A

QUESTION NO: 98

You create a salary report to display employee salaries grouped by the dept column. You need to change the break order from ascending to descending using the model. How would you reverse the display order of the department?

- A. Double click the dept column in the group to alter the property palette and change the break out order value.
- B. Double click the dept column in the group to open the property palette and change the set break order value.
- C. Double click the g_dept group object to change the break order.
- D. Click the dept column in the group to change the break order.

Answer: A

QUESTION NO: 99

You creating a report that will run in both character mode and bitmapped environments. You include some printer codes in your report. What will happen when you run the report in bitmapped mode?

- A. The report will not execute.
- B. The report will only accept destination type of previewer or printer.
- C. Printer codes will be ignored.
- D. Only the printer codes that apply will be processes.

Answer: C

QUESTION NO: 100

You want to create a template to be used as a standard for all company reports. What is the easiest way for you to do this?

- A. Open an existing template file, rename it and modify the template objects.
- B. Open the report wizard and create a new template.
- C. Open the layout model and copy the paste items from the default templates provided in report builder.
- D. Templates cannot be modified in release 2.

Answer: A

QUESTION NO: 101

You are creating a sales data template and need to add a picture to the margin. What is the best way to add this margin?

- A. Choose the margin node in the object navigator and select file->import->image.
- B. Choose the margin node in the object navigator and use the tool bar button.
- C. Click the margin button in the layout model and select file->import->image.
- D. Click the margin button in the layout model and use the tool bar button.

Answer: C

QUESTION NO: 102

You want to create a template to be used as a standard for all company reports, which are many different styles. How many different templates must you have if you plan to use multiple report styles?

- A. Two.
- B. One.
- C. One per report style.
- D. One per report style + one more.

Answer: B

QUESTION NO: 103

The manager of the sales department requested all the sales data report execute daily at 5p.m. The result should be sent to her via e-mail. Which destination type would you use to send the output using your company's MAPI-compliant system?

- A. Screen.
- B. Preview.
- C. File.
- D. Printer.
- E. E-mail.
- F. The destination type depends on how the manager prevents to preview the result.

Answer: E

QUESTION NO: 104

The registrar's office requested a report that lists each students, their advisors name and phone number. Each class has currently enrolled in and a great point average for each semester. To do this you need to pull data from the student, advisor, class and grade tables. From a performance point of view which data model options is preferable for data base access?

- A. Create one query and three additional groups.
- B. Create two query and two additional groups and then relate the groups.
- C. Create three queries and one additional group and then relate the groups.
- D. Create four queries and relate the groups.

Answer: A

QUESTION NO: 105

The IT department is creating a human resources application that will require several new tables. You need to develop a standard alone executable that will defines these tables and their relationships. Which developer/2000 component could you use to create the executable?

- A. Procedure builder.
- B. Query builder.
- C. Schema builder.
- D. Form builder.

- E. Project builder.
- F. Transactional builder.

Answer: C